



## Material Safety Data Sheet

**COUPSYL® WRS****Safety Information****1. Physical and chemical properties**

COUPSYL® WRS is a clear, colorless liquid based on methyl silicate.

Property	Standard	Amount
Physical appearance		Clear liquid
Purity		$\geq 99$
pH		13-14
Density	DIN 51757	1,3 g/cm <sup>3</sup>
Solid percentage		42 $\pm$ 1 wt. %

**2. Personal Protective Equipment**

It is necessary to wear chemical safety goggles, body protective clothing, chemical resistant gloves and rubber boots while working with these materials.

**3. Risks**

This substance is a colorless and odorless liquid. It causes moderate eye irritation, moderate skin irritation, digestive system irritation and dust irritates the respiratory system. Due to the high pH of this product, in case of leakage to surface water, it will damage aquatic animals. If spilled, it will cause the surface to slip. It reacts with acids, ammonium salts, reactive metals and some organic compounds.

❖ Eye contact: This product moderately irritates the eyes.

## Material Safety Data Sheet

---

- ❖ Skin contact: This product moderately irritates the eyes.
- ❖ Inhalation: This product irritates respiratory system.
- ❖ Eating: This product causes burning of the mouth, esophagus and stomach.
- ❖ Physical hazards: This product causes the surface to slip.

### 4. First Aid Measures

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical care.

Skin: In case of skin contact, immediately flush skin with large amounts of water while removing contaminated clothing and shoes.

Inhalation: If inhaled, move casualty to fresh air. If not breathing, give artificial respiration. Get medical care

Eating: If swallowed, do not induce casualty vomiting. Get medical care immediately.

### 5. Ignition

This material is non-flammable.

Firefighting equipment: The following protective equipment is recommended for firefighters when this material is present in the fire area: chemical safety goggles, body protective clothing, chemical resistant gloves and rubber boots.

### 6. Shipping and Storage

Avoid direct contact with eyes, skin and inhalation of spray dust.



## Material Safety Data Sheet

---

Storage: keep in closed plastic containers separate from acids, reactive metals and ammonium salts at a temperature of 15-40 ° C. It should not be stored in aluminum, copper, brass, zinc or galvanized containers.

### 7. Stability and reactivity

- Very stable under normal conditions.
- Decomposes if mixed with acids.
- Absorbs carbon dioxide due to air exposure.
- Flammable hydrogen may be produced in contact with aluminum, tin, lead and zinc.

www.coupleshimi.com